

Notice of Allowability

Application No.

10/696,351

Examiner

Melba Bumgarner

Applicant(s)

GITTLEMAN, NEAL B.

Art Unit

3732

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Application of October 29, 2003.
2. ☒ The allowed claim(s) is/are 1-8.
3. ☒ The drawings filed on 29 October 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 0105.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ezra Schacht on January 26, 2005.

The application has been amended as follows:

In claim 3: line 2, delete "said"

In claim 5: line 2, delete "surround" and insert –surrounding—
line 2, after "end" insert –and said transparent particles--

In claim 6: line 2, delete "surround" and insert –surrounding—
line 2, after "end" insert –and said transparent spheres--.

2. The following is an examiner's statement of reasons for allowance: The prior art show dental implant registration apparatus comprising an impression tray having a curved dissected frame, a horizontal mesh, and a light curable compound, and an apparatus comprising an impression tray having a curved dissected frame, a horizontal mesh, and a light conveying fiber assembly having a flexible distal end and a proximal end having a light entry port; however, the prior art does not show or fairly suggest singly or in combination the impression tray having a light curable compound surrounding the flexible distal end of a light conveying fiber assembly and a flexible coaxial tube containing the compound and the flexible distal end of the fiber

Art Unit: 3732

assembly, the flexible distal end of the fiber assembly rendered inflexible by the hardening of the compound upon entry of curing light into a light entry port at a proximal end of the fiber assembly.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. It is noted that page 1 of the declaration appears to be missing from the file. The applicant's representative FAXed a copy of the entire declaration that was submitted on October 29, 2003 upon request from the examiner. The examiner finds the copy in compliance with 37 CFR 1.63.

4. Any inquiry concerning this communication from the examiner should be directed to Melba Bumgarner whose telephone number is 571-272-4709. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached at 571-272-4720. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3732

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in cursive script, reading "Melba Bumgarner".

Melba Bumgarner
Patent Examiner